



altro

**Designed for possibilities.
Made for people.**



Floors, walls and doors guide

Contents

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Rolls	
Altro Cantata™	12
Altro Orchestra™	14
Altro Orchestra™ Custom	18
Altro Operetta™	20
Altro Zodiac™	22
Altro Serenade™	24
Altro Wood™ adhesive-free	26
Altro Wood™	28
Altro Wood™ Comfort	30
Altro Illustra™ adhesive-free	32
Altro Illustra™	34
Altro Suprema™	36
Altro XpressLay™	40
Altro Walkway™ 20	44
Altro Walkway™ 20 SD	48
Altro Classic™ 25	50
Altro Reliance™ 25	52
Altro Atlas™ 40	56
Altro Stronghold™ 30 adhesive-free	58
Altro Stronghold™ 30	60
Altro Aquarius™	62
Altro Pisces™	64
Altro Marine™	66
Walls	
Hygienic wall sheets	
Altro Whiterock White™	68
Altro Whiterock Satins™	70
Altro Whiterock Chameleon™	74
Altro Whiterock™ wall designs	76
Altro Whiterock Digiclad™ (Custom)	78
Wall protection	
Altro Fortis Titanium™	80
Altro Fortis™ corner protection	82
Specialist wall solutions	
Altro Tegulis™	84
Altro Whiterock™ Imagination Wall	86
Altro Whiterock™ Whiteboard	88
Altro Walls ShowerKit™	90
Altro Whiterock™ recessed shelf	94
Altro Whiterock Splashbacks™	96
Altro Whiterock hand wash station™	100
Doors	
Altro Whiterock hygienic doorsets™	104
Altro Fortis doorsets™	105
Altro Fortis door protection™	106
Technical drawings	108
Support	122



Altro Orchestra and Altro Whiterock wall designs



Altro Stronghold and Altro Whiterock White



Altro Pisces and Altro Tegulis

Choose by type of wall, floor or door

Designer ranges

LVTs	
Altro Ensemble (14dB)	6
Floors	
Altro Cantata (14dB)	12
Altro Orchestra (15dB)	14
Altro Orchestra Custom (15dB)	18
Altro Operetta (4dB)	20
Altro Zodiac	22
Altro Serenade (19dB)	24
Floors with safety	
Altro Wood adhesive-free (14dB)	26
Altro Wood	28
Altro Wood Comfort (14dB)	30
Altro Illustra adhesive-free (14dB)	32
Altro Illustra (4dB)	34
Altro Suprema	36
Decorative wall sheets	
Altro Whiterock Satins	70
Altro Whiterock Chameleon	74
Altro Whiterock wall designs	76
Altro Whiterock Digiclad (Custom)	78
Altro Tegulis	84
Altro Whiterock Imagination Wall	86
Altro Whiterock Whiteboard	88

Acoustic floors

LVTs	
Altro Ensemble (14dB)	6
Floors	
Altro Cantata (14dB)	12
Altro Orchestra (15dB)	14
Altro Orchestra Custom (15dB)	18
Altro Operetta (4dB)	24
Altro Serenade (19dB)	24
Altro Wood adhesive-free (14dB)	26
Altro Wood (4dB)	28
Altro Wood Comfort (14dB)	30
Altro Illustra adhesive-free (14dB)	32
Altro Illustra (4dB)	34

Safety floors

Floors	
Altro Wood adhesive-free (14dB)	26
Altro Wood (4dB)	28
Altro Wood Comfort (14dB)	30
Altro Illustra adhesive-free (14dB)	32
Altro Illustra (4dB)	34
Altro Suprema	36
Altro XpressLay	40
Altro Walkway	44
Altro Walkway SD	48

Safety floors continued

Heavy duty (2.5mm+)	
Altro Classic (2.5mm)	50
Altro Reliance (2.5mm)	52
Altro Atlas (4mm)	56
Kitchens	
Altro Classic (2.5mm)	50
Altro Stronghold 30 adhesive-free	58
Altro Stronghold	60
Bathrooms	
Altro Aquarius	62
Altro Pisces	64
Altro Marine	66

Heavy duty

Floors	
Altro Classic	50
Altro Reliance	52
Altro Atlas	56

Wall protection

Altro Fortis Titanium	80
Altro Fortis corner protection	82

Doors

Altro Fortis doorsets	103
Altro Fortis door protection	104

Walls and doors

Hygienic wall sheets	
Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock Chameleon	74
Altro Whiterock wall designs	76
Altro Whiterock Digiclad (Custom)	78
Altro Whiterock Imagination Wall	86
Altro Whiterock Whiteboard	88
Altro Walls ShowerKit	90
Altro Whiterock recessed shelf	94
Altro Whiterock Splashbacks	96
Altro Whiterock hand wash station	100

Tile-effect wall sheets

Altro Tegulis	84
---------------	----

Wall protection

Altro Fortis Titanium	80
Altro Fortis corner protection	82

Doors

Altro Whiterock hygienic doorsets	104
Altro Fortis doorsets	105
Altro Fortis door protection	106

Sustainable solutions

Adhesive-free floors	
Altro Cantata (14dB)	12
Adhesive-free floors with safety	
Altro Wood adhesive-free (14dB)	26
Altro Illustra adhesive-free (14dB)	32
Altro XpressLay	36
Altro Stronghold 30 adhesive-free	58
Walls and doors	
Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock Chameleon	74
Altro Whiterock wall designs	76
Altro Tegulis	84
Altro Walls ShowerKit	90
Altro Whiterock recessed shelf	94
Altro Whiterock Splashbacks	96
Altro Whiterock hygienic doorsets	104
Altro Fortis doorsets	105
Altro Fortis door protection	106

Commercial kitchens

Floors	
Altro Classic	50
Altro Stronghold 30 adhesive-free	58
Altro Stronghold	60

Walls

Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock Chameleon	74
Altro Whiterock wall designs	76
Altro Tegulis	84
Altro Whiterock hygienic doorsets	104

Wet rooms, showers and bathrooms

Floors	
Altro Aquarius	62
Altro Pisces	64
Altro Marine	66

Walls

Altro Whiterock White	68
Altro Whiterock Satins	70
Altro Whiterock Chameleon	74
Altro Whiterock wall designs	76
Altro Whiterock Digiclad (Custom)	78
Altro Tegulis	84
Altro Walls ShowerKit	90
Altro Whiterock recessed shelf	94
Altro Whiterock Splashbacks	96

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors - LVTs



Altro Ensemble

Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas
- Resident rooms
- Shops

Altro Ensemble is a modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From colour blocking to geometric patterns, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB sound reduction with added comfort underfoot, making it perfect for areas where design is key.

With four modular sizes, you can mix and match to create unique patterns utilising colour and design. Combine with Altro Whiterock wall designs for a unique interior statement.



Natural Rustic Oak
M017W200L2000 | LRV 27

For full technical details altro.com




Floors - LVTs




Drift Oak
M023W100L500 | LRV 40



Pearl Oak
M007W100L500 | LRV 53



Red Vintage Timber
M013W100L500 | LRV 21




Medium Limed Rustic Oak
M018W100L500 | LRV 17




Village Oak
M024W100L500 | LRV 21



Greige Rustic Oak
M034W100L500 | LRV 35



Medium Grey
Harmonious Oak
M027W100L500 | LRV 21



Blue Vintage Timber
M011W100L500 | LRV 42

Plank size



100 x 500 mm

Floors - LVTs



Drift Oak
M023W125L1000 | LRV 40



Natural Pine
M022W125L1000 | LRV 44



Pearl Oak
M007W125L1000 | LRV 53



Leached Striking Oak
M006W125L1000 | LRV 45




White Vintage Timber
M009W125L1000 | LRV 44



Natural Rustic Oak
M017W125L1000 | LRV 27



Medium Limed Rustic Oak
M018W125L1000 | LRV 17



Blue Vintage Timber
M011W125L1000 | LRV 42



Green Vintage Timber
M012W125L1000 | LRV 29




Red Vintage Timber
M013W125L1000 | LRV 21



Greige Striking Oak
M033W125L1000 | LRV 16



Natural Striking Oak
M032W125L1000 | LRV 26




Flamed Cherry
M019W125L1000 | LRV 21



Village Oak
M024W125L1000 | LRV 21



Valley Oak
M025W125L1000 | LRV 16




Brown Limed Pine
M030W125L1000 | LRV 23



Tobacco Limed Striking Oak
M008W125L1000 | LRV 18



Barrel Oak
M010W125L1000 | LRV 10




Cabin Oak
M020W125L1000 | LRV 7



Regal Walnut
M021W125L1000 | LRV 8




Greige Rustic Oak
M034W125L1000 | LRV 35



Medium Grey Harmonious Oak
M027W125L1000 | LRV 21



Smoked Rustic Oak
M035W125L1000 | LRV 12




Anthracite Limed Harmonious Oak
M026W125L1000 | LRV 7


Floors - LVTs



Chilli Red
MA065W125L1000 | LRV 12



Sky Blue
MA063W125L1000 | LRV 30



Ice
MA066W125L1000 | LRV 49



Jet Black
MA061W125L1000 | LRV 4



Midnight Wood
MP151W125L1000 | LRV 4



Hot Orange
MA064W125L1000 | LRV 20

Plank size



125 x 1000 mm

Floors - LVTs



Greige Rustic Oak
M034W200L2000 | LRV 35



Pearl Oak
M007W200L2000 | LRV 53



Green Vintage Timber
M012W200L2000 | LRV 29



Medium Limed
Rustic Oak
M018W200L2000 | LRV 17



Valley Oak
M025W200L2000 | LRV 16



Natural Rustic Oak
M017W200L2000 | LRV 27



Village Oak
M024W200L2000 | LRV 21



Smoked Rustic Oak
M035W200L2000 | LRV 12



Brown Limed Pine
M030W200L2000 | LRV 23



Barrel Oak
M010W200L2000 | LRV 10

Plank size



200 x 2000 mm


Floors - LVTs



White Stone
MT081W500L1000 | LRV 61



Fossil Stone
MT084W500L1000 | LRV 45



Platinum Concrete
MT087W500L1000 | LRV 37



York Stone
MT082W500L1000 | LRV 37




Portland Stone
MT083W500L1000 | LRV 20



Pumice Stone
MT085W500L1000 | LRV 13



Clay Stone
MT086W500L1000 | LRV 9




Pewter Concrete
MT088W500L1000 | LRV 15



Anthracite Concrete
MT089W500L1000 | LRV 6

Tile size



500 x 1000 mm

Floors




Altro Cantata

Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.




Hazelnut | AFP282009
WR418 / A1M239 / LRV 18




For full technical details altro.com


Floors




Frosted Glass
AFP282005
WR388 / A1M388 / LRV 52



Mocha
AFP282003
WR555 / A1M389 / LRV 40



Graphite
AFP282002
WR390 / A1M390 / LRV 30




True Grit
AFP282001
WR391 / A1M82 / LRV 17




Black Sand
AFP282010
WR485 / A1M485 / LRV 7




Crème Caramel
AFP282006
WR523 / A1M385 / LRV 50



Willow Tree
AFP282007
WR399 / A1M399 / LRV 41



Bluebell
AFP282004
WR398 / A1M398 / LRV 26




Sunrise
AFP282008
WR393 / A1M393 / LRV 19




Treviso
AFT284003
WR483 / A1M483 / LRV 44




Seal Grey
AFC281002
WR435 / A1M390 / LRV 26




Bluefin
AFC281001
WR438 / A1M486 / LRV 26




Milan
AFT284002
WR482 / A1M482 / LRV 15



Rome
AFT284001
WR481 / A1M83 / LRV 16



Venice
AFT284004
WR484 / A1M484 / LRV 40



Elephant Grey
AFC281003
WR436 / A1M487 / LRV 17

Floors



Altro Orchestra

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Bongo | CH2840U
WR461 / A1M152 / LRV 27

For full technical details altro.com



Floors




Chimes | CH2836U
WR457 / A1M335 / LRV 52




Oboe | CH2835U
WR456 / A1M338 / LRV 34




Violin | CH2834U
WR455 / A1M361 / LRV 31




Conga | CH2879U
WR390 / A1M390 / LRV 30




Trombone | CH2839U
WR460 / A1M484 / LRV 39




Flute | CH2833U
WR454 / A1M86 / LRV 22




Drum | CH2837U
WR458 / A1M74 / LRV 18



Manon | CH2878U
WR391 / A1M82 / LRV 17




Serpent* | CH2850U
WR517 / A1M136 / LRV 56



Maraca | CH2855U
WR499 / A1M136 / LRV 56




Musette | CH2856U
WR515 / A1M136 / LRV 49




Volta* | CH2851U
WR518 / A1M335 / LRV 48



Porter* | CH2854U
WR498 / A1M483 / LRV 43



Notturna* | CH2853U
WR497 / A1M369 / LRV 48




Chromatic* | CH2852U
WR496 / A1M136 / LRV 49




Brass* | CH2842U
WR483 / A1M483 / LRV 44




Woodwind* | CH2843U
WR489 / A1M385 / LRV 45




String | CH2841U
WR484 / A1M484 / LRV 40




Percussion | CH2844U
WR490 / A1M86 / LRV 18



Turandot* | CH2847U
WR482 / A1M482 / LRV 15



Orfeo* | CH2849U
WR41 / A1M41 / LRV 9



Falstaff* | CH2846U
WR493 / A1M493 / LRV 9




Othello* | CH2848U
WR62 / A1M62 / LRV 9




Montezuma* | CH2845U
WR485 / A1M485 / LRV 8

*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.

Floors



Reggae | CH2801U
WR422 / A1M200 / LRV 48




Salsa | CH2802U
WR423 / A1M200 / LRV 20




Flamenco | CH2806U
WR427 / A1M200 / LRV 12




Jazz | CH2824U
WR445 / A1M200 / LRV 15




Fusion | CH2813U
WR434 / A1M200 / LRV 49




Soul | CH2817U
WR438 / A1M200 / LRV 29




Rap | CH2820U
WR441 / A1M200 / LRV 30




Gospel | CH2821U
WR442 / A1M200 / LRV 17




Metal | CH2818U
WR439 / A1M84 / LRV 16




Chant | CH2814U
WR435 / A1M390 / LRV 26




Club | CH2815U
WR436 / A1M487 / LRV 17




Trumpet | CH2825U
WR446 / A1M347 / LRV 37




Glockenspiel | CH2827U
WR448 / A1M361 / LRV 23




Cello | CH2829U
WR450 / A1M81 / LRV 24




Bassoon* | CH2831U
WR452 / A1M84 / LRV 17



Rigoletto* | CH2876U
WR519 / A1M392 / LRV 34



Traviata* | CH2877U
WR520 / A1M338 / LRV 28




Guitar | CH2828U
WR449 / A1M137 / LRV 29


Floors




Elektra | CH2870U
WR511 / A1M392 / LRV 58




Carlotta* | CH2865U
WR507 / A1M337 / LRV 26




Sitar | CH2869U
WR510 / A1M347 / LRV 38



Macavity | CH2867U
WR508 / A1M11 / LRV 57




Aurora | CH2857U
WR500 / A1M136 / LRV 60




Seville* | CH2860U
WR503 / A1M79 / LRV 45




Tosca | CH2862U
WR494 / A1M494 / LRV 23




Reed | CH2874U
WR513 / A1M85 / LRV 39




Polka | CH2859U
WR502 / A1M390 / LRV 23




Marimba* | CH2863U
WR505 / A1M390 / LRV 30




Fidelio* | CH2868U
WR509 / A1M85 / LRV 35




Cornet | CH2864U
WR506 / A1M82 / LRV 20



Nabucco* | CH2873U
WR512 / A1M84 / LRV 24



Timpani | CH2861U
WR504 / A1M417 / LRV 20



Kora* | CH2871U
WR495 / A1M495 / LRV 8



Figaro | CH2858U
WR501 / A1M82 / LRV 13

Floors



Altro Orchestra Custom

Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059



For full technical details [altro.com](https://www.altro.com)



Floors



Altro Operetta


Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges.

Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.

Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.




Beat | OP2155U
WR499 / A1M136 / LRV 56


For full technical details altro.com




Floors




Acapella | OP2135U
WR456 / A1M338 / LRV 34




Madrigal | OP2134U
WR455 / A1M361 / LRV 31




Glee | OP2136U
WR457 / A1M335 / LRV 52




Baroque | OP2133U
WR454 / A1M86 / LRV 22




Leo | OP2179U
WR390 / A1M390 / LRV 30




Yeoman | OP2139U
WR460 / A1M484 / LRV 39



Soprano | OP2137U
WR458 / A1M74 / LRV 18




Lola | OP2178U
WR391 / A1M82 / LRV 17



Pulse | OP2118U
WR439 / A1M84 / LRV 16




Tempo | OP2115U
WR436 / A1M487 / LRV 17



Clef | OP2125U
WR446 / A1M347 / LRV 37



Canon | OP2129U
WR450 / A1M81 / LRV 24



Drop | OP2127U
WR448 / A1M361 / LRV 23




Quintet | OP2114U
WR435 / A1M390 / LRV 26



Shake | OP2164U
WR506 / A1M82 / LRV 20



Vivo | OP2162U
WR494 / A1M494 / LRV 23




Allegra | OP2169U
WR510 / A1M347 / LRV 38




Cabasa | OP2161U
WR504 / A1M417 / LRV 20




Tutti | OP2157U
WR500 / A1M136 / LRV 60




Beethoven | OP2159U
WR502 / A1M390 / LRV 23




Black Forest | OP2158U
WR501 / A1M82 / LRV 13



Stanza | OP2156U
WR515 / A1M136 / LRV 49



Vagabond | OP2141U
WR484 / A1M484 / LRV 40



Vamp | OP2144U
WR490 / A1M86 / LRV 18

Floors



Altro Zodiac


Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.




Oxygen | ZD2007U
WR317 / A1M200 / LRV 41

For full technical details [altro.com](https://www.altro.com)



Floors



Hologram | ZD2001U
WR311 / A1M200 / LRV 57



Comet | ZD2003U
WR313 / A1M200 / LRV 33



Capricorn | ZD2004U
WR314 / A1M200 / LRV 10

Floors




Altro Serenade

Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Encore | SE3929U
WR450 / A1M81 / LRV 24


For full technical details altro.com




Floors




Chord | SE3934U
WR455 / A1M361 / LRV 31



Anthem | SE3933U
WR454 / A1M86 / LRV 22




Caldara | SE3939U
WR460 / A1M484 / LRV 39




Moonlight | SE3937U
WR458 / A1M74 / LRV 18




March | SE3925U
WR446 / A1M347 / LRV 37



Opus | SE3927U
WR448 / A1M361 / LRV 23




Metronome | SE3914U
WR435 / A1M390 / LRV 26



Dulcimer | SE3955U
WR499 / A1M136 / LRV 56



Elgar | SE3962U
WR494 / A1M494 / LRV 23



Charm | SE3969U
WR510 / A1M347 / LRV 38



Andante | SE3957U
WR500 / A1M136 / LRV 60

Floors - Safety



Altro Wood adhesive-free

Application areas:

- Entrances, corridors, communal areas
- Dining, bars
- Domestic kitchens
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood and Altro Wood Comfort. Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Dusky Cherry | AFW280003
WR336 / A1M239 / LRV 22



For full technical details
altro.com

Floors - Safety



Floors - Safety



Altro Wood

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Urban Cherry | WSA2003
WR337 / A1M337 / LRV 17



For full technical details altro.com

Floors - Safety



Ranch Oak | WSA2021
WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001
WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027
WR350 / A1M483 / LRV 30



Washed Oak | WSA2015
WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004
WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006
WR340 / A1M340 / LRV 37



Spring Maple | WSA2018
WR352 / A1M352 / LRV 27



Oak Traditions | WSA2013
WR353 / A1M225 / LRV 25




Bavarian Oak | WSA2026
WR514 / A1M514 / LRV 21



Mountain Oak | WSA2022
WR339 / A1M339 / LRV 22



Honey Oak | WSA2028
WR352 / A1M352 / LRV 21



Slate Oak | WSA2029
WR478 / A1M390 / LRV 26



Vintage Cherry | WSA2002
WR336 / A1M239 / LRV 22



Autumn Maple | WSA2005
WR339 / A1M339 / LRV 24



Antique Walnut | WSA2007
WR341 / A1M160 / LRV 15



Worn Oak | WSA2023
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016
WR348 / A1M348 / LRV 7

Floors - Safety



Altro Wood Comfort

Application areas:

- Entrances, corridors, communal areas
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.




Warm Maple | WSASC2805
WR339 / A1M339 / LRV 24



For full technical details altro.com

Floors - Safety



Soft Oak | WSASC2804
WR338 / A1M27 / LRV 38



Light Bamboo | WSASC2820
WR463 / A1M392 / LRV 42



Field Oak | WSASC2806
WR340 / A1M340 / LRV 37



Veteran Oak | WSASC2822
WR339 / A1M339 / LRV 22



Classic Walnut | WSASC2807
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815
WR347 / A1M347 / LRV 38



Antique Cherry
WSASC2802
WR336 / A1M239 / LRV 22



Deep Cherry | WSASC2803
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823
WR322 / A1M239 / LRV 19



Regent Oak | WSASC2825
WR468 / A1M62 / LRV 10



Reclaimed Oak | WSASC2821
WR335 / A1M335 / LRV 51

Floors




Altro Illustra adhesive-free

Application areas:

- Entrances, communal areas, corridors
- Dining, bars, restaurants
- Domestic kitchens
- Bedrooms, quiet rooms
- Wards
- Classrooms, Libraries
- Shops
- Toilet, staff changing areas

Looking for an adhesive-free safety floor that provides limitless design possibilities? Altro Illustra adhesive-free combines style, safety, durability and provides installation flexibility, with the stone, textile, and mineral designs offering a range of aesthetic possibilities.

Using our award-winning adhesive-free installation method, Altro Illustra adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. Using Altro adhesive-free floors, you can halve installation time compared with a traditional adhered installation, and save up to 50% carbon.




Cotton Twist | LUAF2409
WR446 / A1M347 / LRV 38



For full technical details
altro.com

Floors



Shrouded Mountain
LUAF2417
WR497 / A1M369 / LRV 55

Stepping Stone |
LUAF2416
WR567 / A1M369 / LRV 55

Cobblestone
LUAF2414
WR560 / A1M79 / LRV 41

Crag Stone | LUAF2418
WR566 / A1M81 / LRV 36

Cocoa Clay | LUAF2413
WR565 / A1M387 / LRV 26

Hammerhead
LUAF2415
WR501 / A1M487 / LRV 20

Thunder Mountain
LUAF2412
WR562 / A1M83 / LRV 13

Tranquil Twist
LUAF2410
WR478 / A1M361 / LRV 25

Deep Twist | LUAF2411
WR301 / A1M82 / LRV 12

Distant Shore | LUAF2401
WR552 / A1M20 / LRV 43

Touchstone | LUAF2402
WR61 / A1M239 / LRV 27

Dusky Grit | LUAF2403
WR561 / A1M518 / LRV 17

Rose Petal | LUAF2405
WR535 / A1M149 / LRV 29

Tamarind | LUAF2404
WR529 / A1M42 / LRV 26

Soft Blush | LUAF2408
WR570 / A1M11 / LRV 57

Waters Edge | LUAF2407
WR542 / A1M516 / LRV 38

Ivy League | LUAF2406
WR242 / A1M154 / LRV 20

Floors



Altro Illustra

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars, restaurants
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Toilet, staff changing areas

Looking for a safety floor that provides limitless design possibilities? Alto Illustra combines style, safety, durability and offers a range of aesthetic options, from nature inspired stone to modern textile design, the possibilities are endless. Whether you're creating an inviting learning environment, a comfortable care facility, an attractive retail space, or a welcoming hospitality venue, Alto Illustra is the perfect flooring solution to bring your vision to life. Love the look of Alto Illustra but want to save carbon, time and money – make the easy switch to Alto Illustra adhesive-free, the 100% recyclable design-led safety floor.



Ammonite | LU2416
WR567 / A1M369 / LRV 55



For full technical details
altro.com


Floors




Soapstone | LU2417
WR497 / A1M369 / LRV 55



Keystone | LU2414
WR560 / A1M79 / LRV 41




Jurassic Slab | LU2418
WR566 / A1M81 / LRV 36




Canyon Clay | LU2413
WR565 / A1M387 / LRV 26




Skyfall | LU2415
WR501 / A1M487 / LRV 20



Hazy Twist | LU2409
WR446 / A1M347 / LRV 38




Gentle Twist | LU2410
WR478 / A1M361 / LRV 25




Midnight Twist | LU2411
WR301 / A1M82 / LRV 12




Bedrock | LU2412
WR562 / A1M83 / LRV 13



Sand Castle | LU2401
WR552 / A1M20 / LRV 43



Clay Bed | LU2402
WR61 / A1M239 / LRV 27



Highway | LU2403
WR561 / A1M518 / LRV 17

Floors - Safety



Altro Suprema

Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas

Altro Suprema now features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.

It incorporates Altro EasyClean technology, designed for low maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence.

Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.




Senna | SY20033
WR549 / A1M152 / LRV 31




For full technical details altro.com


Floors - Safety




Ornella | SY20024
WR534 / A1M11 / LRV 49




Roselle | SYI20025
WR534 / A1M11 / LRV 49




Evora | SYI20017
WR538 / A1M515 / LRV 37




Calla | SY20030
WR538 / A1M515 / LRV 37




Diantha | SY20007
WR527 / A1M265 / LRV 37



Pampas | SY20009
WR569 / A1M01 / LRV 62




Primula | SY20023
WR543 / A1M335 / LRV 50




Dicentra | SYI20022
WR543 / A1M335 / LRV 50




Hazel | SY20008
WR526 / A1M239 / LRV 22




Coleus | SYI20004
WR526 / A1M239 / LRV 22




Hibiscus | SY20005
WR79 / A1M191 / LRV 42




Cicely | SY20006
WR81 / A1M81 / LRV 28




Agave | SY20002
WR525 / A1M86 / LRV 19



Festuca | SYI20010
WR528 / A1M82 / LRV 15




Cardoon | SYI20003
WR301 / A1M82 / LRV 11



Italicum | SY20001
WR301 / A1M82 / LRV 12


Floors - Safety




Okame | SY20020
WR541 / A1M294 / LRV 47




Amaranth | SY20026
WR535 / A1M149 / LRV 29



Dahlia | SY20019
WR540 / A1M303 / LRV 14




Cranebill | SY20011
WR529 / A1M238 / LRV 9




Zinnia | SY20016
WR537 / A1M44 / LRV 13




Freesia | SY20018
WR539 / A1M42 / LRV 26



Acer | SY20027
WR544 / A1M396 / LRV 52



Kolibri | SY20014
WR533 / A1M399 / LRV 35




Gerbera | SY20031
WR547 / A1M154 / LRV 20




Sorrel | SY20028
WR545 / A1M517 / LRV 11




Wilder | SY20021
WR542 / A1M516 / LRV 37



Clematis | SY20029
WR546 / A1M228 / LRV 27




Lotus | SY20015
WR536 / A1M71 / LRV 14



Madara | SY20032
WR548 / A1M56 / LRV 19



Salvia | SY20012
WR530 / A1M73 / LRV 9



Gentian | SY20013
WR531 / A1M71 / LRV 16



Floors - Safety



Altro XpressLay

Application areas:


- General purpose, versatile safety where adhesive-free benefits are required

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.


Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Temple | XL2209P
WR261 / A1M81 / LRV 27


Floors - Safety




Blizzard | XL12255
WR79 / A1M191 / LRV 44




Cloud | XL2214
WR79 / A1M191 / LRV 41




Fog | XL22153
WR81 / A1M81 / LRV 27




Rock | XL12204P
WR84 / A1M84 / LRV 23




Pavement | XL12207P
WR83 / A1M83 / LRV14




Streetlight | XL12205P
WR287 / A1M79 / LRV 45



Whale | XL12254
WR86 / A1M86 / LRV 20




Dolphin | XL2210
WR86 / A1M86 / LRV 21




Runway | XL2206P
WR72 / A1M72 / LRV 9




Black | XL22892
WR100 / A1M100 / LRV 6




Skyline | XL22332
WR52 / A1M52 / LRV 24




Tarragon | XL12252
WR52 / A1M52 / LRV 26




Waterfall | XL22912
WR155 / A1M135 / LRV 31



Blue | XL22412
WR71 / A1M71 / LRV 22




River | XL12257
WR71 / A1M71 / LRV 22



Lupin | XL12259
WR286 / A1M286 / LRV 17



Midnight | XL22421
WR72 / A1M72 / LRV 11



Nightfall | XL12256
WR72 / A1M72 / LRV 10




Coal | XL12258
WR100 / A1M100 / LRV 6




For full technical details altro.com


Floors - Safety




Swan | XLI2212P
WR291 / A1M01 / LRV 75




Winter | XLI2253
WR105 / A1M01 / LRV 61




Minster | XL2218P
WR289 / A1M265 / LRV 40




Sand | XLI2251
WR20 / A1M20 / LRV 40




Bone | XL22215
WR20 / A1M20 / LRV 37




Biscuit | XL22907
WR146 / A1M20 / LRV 30




Tundra | XL22910
WR153 / A1M239 / LRV 17



Savannah | XLI2250
WR153 / A1M239 / LRV 19



Tango | XL2231
WR42 / A1M42 / LRV 14



Cherry | XL22920
WR148 / A1M148 / LRV 10



Floors - Safety



Altro Walkway 20


Application areas:

- General purpose flooring for areas where occasional contamination from water is a concern

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 30 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Tarragon | VMI2052
WR52 / A1M52 / LRV 26




For full technical details altro.com


Floors - Safety




Streetlight | VMI2005P
WR287 / A1M79 / LRV 45




Blizzard | VMI2055
WR79 / A1M191 / LRV 44




Fog | VM20153
WR81 / A1M81 / LRV 27




Rock | VMI2004P
WR84 / A1M84 / LRV 23




Pavement | VMI2007P
WR83 / A1M83 / LRV14



Temple | VM2009P
WR261 / A1M81 / LRV 27



Whale | VMI2054
WR86 / A1M86 / LRV 20




Dolphin | VM2010
WR86 / A1M86 / LRV 21




Black | VM20892
WR100 / A1M100 / LRV 6




Coal | VMI2058
WR100 / A1M100 / LRV 6




Cloud | VM2014
WR79 / A1M191 / LRV 41




Skyline | VM20332
WR52 / A1M52 / LRV 24




Waterfall | VM20912
WR155 / A1M135 / LRV 31



Blue | VM20412
WR71 / A1M71 / LRV 22




River | VMI2057
WR71 / A1M71 / LRV 22




Runway | VM2006P
WR72 / A1M72 / LRV 9



Midnight | VM20421
WR72 / A1M72 / LRV 11




Nightfall | VMI2056
WR72 / A1M72 / LRV 10




Lupin | VMI2059
WR286 / A1M286 / LRV 17

Floors - Safety




Swan | VMI2012P
WR291 / A1M01 / LRV 75




Winter | VMI2053
WR105 / A1M01 / LRV 61




Minster | VM2018P
WR289 / A1M265 / LRV 40




Sand | VMI2051
WR20 / A1M20 / LRV 40




Bone | VM20215
WR20 / A1M20 / LRV 37




Biscuit | VM20907
WR146 / A1M20 / LRV 30




Tundra | VM20910
WR153 / A1M239 / LRV 17



Savannah | VMI2050
WR153 / A1M239 / LRV 19



Tango | VM2031
WR42 / A1M42 / LRV 14



Cherry | VM20920
WR148 / A1M148 / LRV 10



Floors - Safety



Altro Walkway 20 SD

Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD
WR81 / A1M81 / LRV 27

For full technical details altro.com



Floors - Safety



Altro Classic 25


Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥ 45 and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.




Mushroom | X2542R11
WR24 / A1M27 / LRV 32

For full technical details altro.com


Floors - Safety



Truffle | X2545R11
WR153 / A1M239 / LRV 17




Walnut | X2586R11
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11
WR42 / A1M42 / LRV 13




Blackberry | X2547R11
WR100 / A1M100 / LRV 7




Anvil | X2594R11
WR101 / A1M72 / LRV 11




Pewter Grey | X2539R11
WR81 / A1M81 / LRV 26




Whisper | X2548R11
WR354 / A1M84 / LRV 24




Graphite | X2546R11
WR86 / A1M86 / LRV 21



Blue | X2541R11
WR71 / A1M71 / LRV 20



Aster | X2549R11
WR286 / A1M286 / LRV 17



Legend | X2544R11
WR231 / A1M73 / LRV 10

Floors - Safety




Altro Reliance 25

Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Stream | D2518
WR288 / A1M71 / LRV 22




For full technical details altro.com


Floors - Safety




Streetlight | D2505
WR287 / A1M79 / LRV 45




Rock | D2504
WR84 / A1M84 / LRV 23




Fog | D25153
WR81 / A1M81 / LRV 27




Pavement | D2507
WR83 / A1M83 / LRV 14




Vault | D2517
WR277 / A1M100 / LRV 5




Temple | D2509
WR261 / A1M81 / LRV 27




Fountain | D2502
WR306 / A1M71 / LRV 22




Pool | D2503
WR307 / A1M73 / LRV 10




Runway | D2506
WR72 / A1M72 / LRV 9




Twilight | D25910
WR39 / A1M34 / LRV 8



Roof Garden | D2500
WR262 / A1M154 / LRV 23



Skyline | D25332
WR52 / A1M52 / LRV 25



Storm | D25903
WR82 / A1M82 / LRV 16




Midnight | D25421
WR72 / A1M72 / LRV 11




Jet | D2501
WR100 / A1M100 / LRV 6


Floors - Safety




Ice Rink | D2514
WR291 / A1M01 / LRV 70




Statue | D2513
WR304 / A1M12 / LRV 62




Arena | D2510
WR297 / A1M20 / LRV 41




Bone | D25215
WR20 / A1M20 / LRV 37




Biscuit | D25904
WR146 / A1M20 / LRV 30




Plaza | D2512
WR27 / A1M27 / LRV 32




Monument | D2508
WR305 / A1M239 / LRV 23




Gallery | D2511
WR62 / A1M62 / LRV 10




Rust | D25907
WR150 / A1M238 / LRV 10



Forge | D2515
WR248 / A1M238 / LRV 9



Signal | D2516
WR300 / A1M42 / LRV 13



Floors - Safety



Altro Atlas 40


Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.




Pewter Grey | X4039
WR81 / A1M81 / LRV 26


For full technical details altro.com



Floors - Safety




Mushroom | X4042
WR24 / A1M27 / LRV 32



Quarry Red | X4060
WR42 / A1M42 / LRV 13



Walnut | X4086
WR62 / A1M62 / LRV 10



Anvil | X4094
WR101 / A1M72 / LRV 11

Floors - Safety




Altro Stronghold 30 adhesive-free

Application areas:

- Commercial kitchens (not domestic)**
- Cold rooms*
- Food preparation and service areas where grease, oil, fats are present
- Kitchen stairs*
- Temporary kitchens

Designed exclusively for commercial kitchens, Altro Stronghold 30 adhesive-free can be welded and walked on the same day, significantly reducing kitchen downtime. With an integral DPM, it's fast-fitting and can even be installed over existing flooring or on fresh concrete. Over 95% of an installed floor can be recycled or re-used after use.

Altro Stronghold 30 adhesive-free is the ideal flooring solution for busy kitchens. It's easy to maintain and repair and has excellent scratch and scuff resistance, giving your kitchen floor a long life expectancy. It has Altro's highest rating for slip resistance (PTV \geq 55, R12) and 3mm thickness, which provides comfort underfoot.




Tempest | AFK30153
WR100 / A1M100 / LRV 7




For full technical details
altro.com


Floors - Safety



Celadon | AFK30332
WR52 / A1M52 / LRV 24



Zinc | AFK3010
WR86 / A1M86 / LRV 21




Mortar | AFK30911
WR101 / A1M72 / LRV 11




Gulf | AFK30421
WR72 / A1M72 / LRV 11



Soot | AFK3001
WR100 / A1M100 / LRV 7



Clam | AFK30215
WR20 / A1M20 / LRV 36



Moleskin | AFK30500
WR153 / A1M239 / LRV 17

*For installations in cold rooms that reach temperatures below 0°C, and on kitchen stairs, Altro Stronghold 30 adhesive-free must be fully adhered using AltroFix™ 19 Plus. For more information please refer to our technical installation guide.

**Altro recommend the use of AltroFix MP600 one trowel width around vulnerable points where water ingress or thermal shock might occur, such as drains, gullies and exposed edges to ensure the correct profile of the flooring. For more information please refer to our technical installation guide.

Floors - Safety



Altro Stronghold 30


Application areas:

- Commercial kitchens (not domestic)
- Cold rooms
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs

Water underfoot is treacherous enough – add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV ≥ 55 , R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Torch | K30913
WR278 / A1M42 / LRV 16




For full technical details altro.com


Floors - Safety




Monsoon | K30153
WR81 / A1M81 / LRV 24



Cannon | K30911
WR101 / A1M72 / LRV 11




Dolphin | K3010
WR86 / A1M86 / LRV 21




Midnight | K30421
WR72 / A1M72 / LRV 11




Abyss | K3001
WR100 / A1M100 / LRV 7




Star | K30912
WR79 / A1M191 / LRV 41




Oyster | K30215
WR20 / A1M20 / LRV 36




Biscuit | K30907
WR146 / A1M20 / LRV 30




Tundra | K30500
WR153 / A1M239 / LRV 17




Skyline | K30332
WR52 / A1M52 / LRV 24



Lime | K3086
WR472 / A1M381 / LRV 42



Russet | K30262
WR41 / A1M41 / LRV 14



Surf | K30412
WR71 / A1M71 / LRV 20

Floors - Safety



Altro Aquarius


Application areas:

- Bathrooms
- Showers
- Changing rooms
(except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

Achieving a PTV ≥ 50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Treefrog | AQI2003
WR293 / A1M271 / LRV 33




For full technical details altro.com


Floors - Safety




Terrapin | AQI2009
WR289 / A1M265 / LRV 40



Vole | AQ2010
WR289 / A1M265 / LRV 43




Walrus | AQ2007
WR261 / A1M81 / LRV 29




Tern | AQI2008
WR261 / A1M81 / LRV 31




Hippo | AQI2013
WR301 / A1M82 / LRV 11




Iguana | AQ2021
WR297 / A1M20 / LRV 41




Otter | AQI2006
WR290 / A1M239 / LRV 26




Puffin | AQI2005
WR287 / A1M79 / LRV 46



Cygnet | AQ2004
WR287 / A1M79 / LRV 46




Salamander | AQI2011
WR294 / A1M294 / LRV 41




Swan | AQI2012
WR291 / A1M01 / LRV 75




Gosling | AQI2023
WR369 / A1M369 / LRV 59




Sea Snail | AQI2024
WR370 / A1M370 / LRV 50



Dragonfly | AQ2001
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002
WR288 / A1M71 / LRV 24




Coral Crab | AQI2014
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016
WR303 / A1M303 / LRV 11



Mallard | AQI2015
WR302 / A1M302 / LRV 13



Newt | AQ2022
WR368 / A1M368 / LRV 10

Floors - Safety



Altro Pisces

Application areas:

- Bathrooms
- Showers
- Changing rooms
(except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

For 'home from home' environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥ 50 (Slider 96), a soft-look finish and 17 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.




Beach Hut | SB2012
WR395 / A1M395 / LRV 37




For full technical details altro.com


Floors - Safety




Lighthouse | SB2001
WR291 / A1M01 / LRV 70




Jellyfish | SB2005
WR388 / A1M388 / LRV 46



Porthole | SB2007
WR390 / A1M390 / LRV 30



Anchor | SB2008
WR391 / A1M82 / LRV 16




Houseboat | SB2015
WR398 / A1M398 / LRV 25




Fisherman | SB2009
WR392 / A1M392 / LRV 48




Seahorse | SB2011
WR394 / A1M394 / LRV 47



Windbreak | SB2016
WR399 / A1M399 / LRV 38



Deckchair | SB2013
WR396 / A1M396 / LRV 50




Sea Urchin | SB2014
WR397 / A1M397 / LRV 34



Breakwater | SB2003
WR386 / A1M20 / LRV 42



Cuttlefish | SB2002
WR385 / A1M385 / LRV 50




Shoreline | SB2006
WR389 / A1M389 / LRV 38



Driftwood | SB2004
WR387 / A1M387 / LRV 32



Sand Dune | SB2018
WR568 / A1M239 / LRV 20



Starfish | SB2010
WR393 / A1M393 / LRV 21

Floors - Safety




Altro Marine 20

Application areas:

- Shower cubicles
- Swimming pool foot bath
- Swimming pool surrounds

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.



Shark | IPT20812
WR201 / A1M84 / LRV 24

For full technical details altro.com



Floors - Safety




Gull | T20813
WR79 / A1M191 / LRV 46




Cascade | IPT20809
WR105 / A1M01 / LRV 71




Reef | T20801
WR20 / A1M20 / LRV 41




Seagrass | IPT20814
WR137 / A1M137 / LRV 37




Fen | IPT20815
WR242 / A1M242 / LRV 19




Steam | IPT20807
WR85 / A1M85 / LRV 37



Rainfall | IPT20810
WR135 / A1M135 / LRV 38



Marlin | T20811
WR203 / A1M203 / LRV 34



Tide | IPT20808
WR71 / A1M71 / LRV 21

Walls




Altro Whiterock White

Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104
LRV 89

For full technical details altro.com



Walls



Altro Whiterock Satins


Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed to meet the Equality Act 2010.



Glow | 215
LRV 50


For full technical details altro.com



Walls



Cesco | 53
LRV 71




Ice | 44
LRV 80



Malva | 57
LRV 68



Viola | 214
LRV 13



Zandra | 217
LRV 24




Linen | 41
LRV 83




Oyster | 32
LRV 70




Citron | 56
LRV 80




Daybreak | 222
LRV 69




Fawn | 206
LRV 41




Sorbet | 216
LRV 59




Orchard | 223
LRV 50



Olea | 218
LRV 28




Bergamot | 220
LRV 26



Scarlett | 221
LRV 13


Walls




Dakota | 209
LRV 6




Urban | 210
LRV 28




Echo | 208
LRV 43



Flint | 201
LRV 32




Clarity | 207
LRV 64



Ozone | 211
LRV 10



Seafoam | 43
LRV 81



Mint | 203
LRV 62



Promenade | 212
LRV 32



Vibrance | 213
LRV 22



Walls




Altro Whiterock Chameleon

Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.




Liquorice | 6612V
LRV 5


For full technical details altro.com



Walls



Pure Innocence | 6601V
LRV 92



Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Sheer Glass | 6609V
LRV 40



Ocean Deep | 6637
LRV 7



Ice Queen | 6629V
LRV 36



Distant Thunder | 6634
LRV 18



Eau De Chic | 6605V
LRV 48



Key Lime | 6635
LRV 50




Hawaiian Palm | 6638
LRV 22



Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9

Walls



Altro Whiterock wall designs

Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, metal, stone and linen options, Alto Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Alto Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Alto Whiterock sheet, can be hot welded and can be combined with Alto floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Alto Whiterock and Alto Fortis wall sheets in adjacent areas.



Rich Woodgrain | 9902
LRV 14

For full technical details altro.com



Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38




White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



Brushed Steel | 9911
LRV 54



Antique Copper | 9912
LRV 10

Walls



Altro Whiterock Digiclad (Custom)

Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.



For full technical details altro.com

Walls



Altro Fortis Titanium

Application areas:


- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 12 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.


** Conditions apply. Please contact us for more information.




Tan | FT/206
LRV 41

For full technical details [altro.com](https://www.altro.com)

Walls



White | FT/01
LRV 89




Pearl | FT/41
LRV 83



Almond | FT/32
LRV 70



Mustard | FT/222
LRV 69




Cardinal | FT/221
LRV 13



Shadow | FT/53
LRV 71




Riviera | FT/207
LRV 64



Denim | FT/201
LRV 32



Oxford | FT/211
LRV 10



Kingfisher | FT/213
LRV 22



Battleship | FT/208
LRV 43

Walls




Altro Fortis corner protection

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.




Battleship | FT/208/E75X75
LRV 43


For full technical details [altro.com](https://www.altro.com)



Walls




White
FT/01/E75X75
LRV 89




Pearl
FT/41/E75X75
LRV 83



Almond
FT/32/E75X75
LRV 70




Tan
FT/206/E75X75
LRV 41




Mustard
FT/222/E75X75
LRV 69



Shadow
FT/53/E75X75
LRV 71



Riviera
FT/207/E75X75
LRV 64



Denim
FT/201/E75X75
LRV 32



Oxford
FT/211/E75X75
LRV 10



Kingfisher
FT/213/E75X75
LRV 22



Cardinal
FT/221/E75X75
LRV 13

Walls



Altro Tegulis

Application areas:

- Non-commercial kitchens
- Supermarket counters
- Bars/Cafe/Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations, Altro Tegulis is perfect if you are looking to create a stylish, flexible look for walls. Created from 11 standard tile-effect options with multiple colour and design palettes. An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.




Antique Copper | 9912
LRV 9

For full technical details altro.com



Walls



White | WSR01
LRV 89



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48




Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38


Tile-effect options




Stacked Metro tile
76mm x 292mm




Stacked tile
222mm x 389mm




Metro tile
76mm x 146mm




Metro tile
76mm x 292mm




Metro tile
102mm x 233mm



Square tile
106mm x 106mm




Mosaic tile
35mm x 35mm



Mosaic tile
53mm x 53mm



Chevron tile
69mm x 146mm



Herringbone tile
82mm x 165mm



Hexagon tile
112mm x 130mm

Walls




Altro Whiterock Imagination Wall

Application areas:

- Waiting areas
- Hospital wards
- Nurseries
- Activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.




Space | WIM001

Walls




Dinosaurs | WIM002




Shapes | WIM003



Underwater | WIM004



Aeroplanes | WIM005



Pirates | WIM006

For full technical details altro.com



Walls




Altro Whiterock Whiteboard

Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001
LRV 89

For full technical details altro.com



Walls



Altro Walls ShowerKit


Application areas:

- Bathrooms, ensuites
- Shower areas

Eliminating the need for costly and time-consuming tile removal Altro Walls ShowerKit enables customers to transform the appearance of bathrooms without undertaking extensive renovations, saving both time and money in refurbishment or new build projects.

- Water-resistant
- Easy to clean
- Durable
- 10-year guarantee
- Reduces installation time
- Limitless design possibilities

Without the need for grout – where stains and mould can be a problem, Altro Walls ShowerKit looks good from installation and beyond.



White | W103-W104
LRV 89



For full technical details [altro.com](https://www.altro.com)

Walls




Citron | 56
LRV 80



Linen | 41
LRV 83



Oyster | 32
LRV 70



Ice | 44
LRV 80



Seafoam | 43
LRV 81



Cesco | 53
LRV 71




Malva | 57
LRV 68




Mint | 203
LRV 62




Daybreak | 222
LRV 69




Sorbet | 216
LRV 59




Fawn | 206
LRV 41




Clarity | 207
LRV 64




Orchard | 223
LRV 50




Echo | 208
LRV 43




Flint | 201
LRV 32



Glow | 215
LRV 50




Bergamot | 220
LRV 26




Olea | 218
LRV 28


Walls



Zandra | 217
LRV 24




Scarlett | 221
LRV 13




Promenade | 212
LRV 32




Vibrance | 213
LRV 22




Urban | 210
LRV 28



Viola | 214
LRV 13




Ozone | 211
LRV 10




Dakota | 209
LRV 6


Tile-effect - 100mm x 100mm Square




White | W103-W104
LRV 89




Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38




Antique Copper | 9912
LRV 10

Walls


Tile-effect - 100mm x 300mm Stacked Metro




White | W103-W104
LRV 89




Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38



Antique Copper | 9912
LRV 10

Tile-effect - 200mm x 300mm Stacked Metro




White | W103-W104
LRV 89



Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28



Warm Woodgrain | 9904
LRV 38



Antique Copper | 9912
LRV 10

Walls




Altro Whiterock recessed shelf

Application areas:

- Bathrooms, ensembles
- Shower areas

The Altro Whiterock recessed shelf is a pre-fabricated unit, using proven Altro Whiterock hygienic walls sheet. This unit is perfect for making bathing an easier and more familiar experience for residents and patients in social housing and healthcare applications such as mental health facilities and care homes. It is recessed into the wall and hot welded flush to adjoining Altro Whiterock wall sheets, ensuring a hygienic solution with no ledges or lips that could cause injury.

Available in four calming colours, this hygienic system provides a watertight, rust-proof shelf for shower toiletries, which is tamper-resistant and free from potential ligature points, helping to keep users safe.



White | A900/103
LRV 89

For full technical details [altro.com](https://www.altro.com)




Walls



Linen | A900/41
LRV 83



Oyster | A900/32
LRV 70



Fawn | A900/206
LRV 41

Walls




Altro Whiterock Splashbacks

Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.




Ice Queen | 6629V
LRV 36


For full technical details altro.com



Walls




Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15



Ocean Deep | 6637
LRV 6



Liquorice | 6612V
LRV 5



Distant Thunder | 6634
LRV 18




Sheer Glass | 6609V
LRV 40




Eau De Chic | 6605V
LRV 48



Key Lime | 6635
LRV 50



Hawaiian Palm | 6638
LRV 22



Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9



Linen | 41
LRV 83




Oyster | 32
LRV 70




Citron | 56
LRV 80



Daybreak | 222
LRV 69



Fawn | 206
LRV 41



Sorbet | 216
LRV 59



Orchard | 223
LRV 50




Olea | 218
LRV 28




Glow | 215
LRV 50


Walls




Dakota | 209
LRV 6




Urban | 210
LRV 28




Echo | 208
LRV 43



Flint | 201
LRV 32



Clarity | 207
LRV 64




Ozone | 211
LRV 10



Seafoam | 43
LRV 81



Mint | 203
LRV 62



Promenade | 212
LRV 32




Vibrance | 213
LRV 22




Cesco | 53
LRV 71




Ice | 44
LRV 80




Malva | 57
LRV 68




Viola | 214
LRV 13




Zandra | 217
LRV 24



Scarlett | 221
LRV 13



Bergamot | 220
LRV 26




White | W103-W104
LRV 89


Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48




Urban Mineral | 9907
LRV 28



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14



Brushed Steel | 9911
LRV 54

Walls




Alto Whiterock hand wash station

Application areas:

- Critical hygiene areas
- A&E
- Commercial kitchens
- Changing areas
- Nursing homes
- Nurseries
- Doctor's surgeries
- Vets
- Community Healthcare
- Leisure centres

In areas where both surface and hand hygiene are imperative, you can now enjoy a fuss-free installation with the all-new pre-fabricated modular solution: Alto Whiterock hand wash station. HBN 00-10 compliant pre-fabricated modular solution encapsulated in Alto Whiterock wall sheet for hand washing. A choice of four modular configurations pre-thermoformed with no horizontal or vertical joints, complete with all required parts including access panels, taps and basin kit.




Flint | 201
LRV 32

For full technical details alтро.com




Walls



White | W103-W104
LRV 89




Cesco | 53
LRV 71



Ice | 44
LRV 80



Malva | 57
LRV 68



Zandra | 217
LRV 24



Linen | 41
LRV 83




Oyster | 32
LRV 70




Citron | 56
LRV 80



Daybreak | 222
LRV 69




Fawn | 206
LRV 41



Sorbet | 216
LRV 59



Orchard | 223
LRV 50



Olea | 218
LRV 28



Glow | 215
LRV 50



Bergamot | 220
LRV 26



Seafoam | 43
LRV 81



Mint | 203
LRV 62



Clarity | 207
LRV 64



Echo | 208
LRV 43



Scarlett | 221
LRV 13



Promenade | 212
LRV 32



Vibrance | 213
LRV 22




Viola | 214
LRV 13




Ozone | 211
LRV 10


Walls




Urban | 210
LRV 28




Dakota | 209
LRV 6



Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Sheer Glass | 6609V
LRV 40




Ocean Deep | 6637
LRV 6



Ice Queen | 6629V
LRV 36



Distant Thunder | 6634
LRV 18




Eau De Chic | 6605V
LRV 48




Key Lime | 6635
LRV 50



Hawaiian Palm | 6638
LRV 22



Taxi Cab | 6636
LRV 58



Moulin Rouge | 6618V
LRV 12




Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9



Liquorice | 6612V
LRV 5


Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48




Urban Mineral | 9907
LRV 28



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14



Brushed Steel | 9911
LRV 54

Doors



Altro Whiterock hygienic doorsets

Application areas:


- Operating theatres, accident and emergency, clinical areas
- Commercial kitchens
- Laboratories
- Receptions, foyers, lobbies
- Lounges
- High-end Bathrooms

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Encapsulated with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in Altro Whiterock wall designs or Altro Whiterock Satins, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Flint | 201
LRV 32

For colours see pages 76-77, 70-72.
For full technical details altro.com



Doors



Altro Fortis doorsets


Application areas:

- Service corridors
- Public corridors
- Loading areas
- Dry changing rooms

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41
LRV 83

For colours see pages 80-81.
For full technical details altro.com



Doors



Altro Fortis door protection

Application areas:

- Circulation, public areas
- Corridors
- Classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 12 colours.



Almond | FT/32
LRV 70


For colours see pages 80-81.
For full technical details altro.com



Technical drawings - Floors

Straight laid

D1/03/05





AltroMastic 100

Altro sheet flooring

Technical drawings - Floors

Set-in cove skirting

D3





Hot welded joint

Altro sheet flooring

Sit-on cove

D2




AltroMastic 100

Altro sheet flooring

Self-covered with cove former and capping seal


D4/03/05



Wall finish

Capping seal C7


Altro sheet flooring



Technical drawings - Floors

Self-coved with cove former and captile strip C8 to wall tiles


D5/03/05



Technical drawings - Floors


Self-coved with cove former to Altro wall system semi-rigid PVCu sheet

D8/03/05




Self-coved with cove former and capping seal C11 over floor tiles

D6/03/05



Self-coved to architrave


D9/03/05



Technical drawings - Floors

Finished to gully angle


D10/03/05



Technical drawings - Floors


Transition with clamping drain

D13/03/05




Transition with other floor surfaces

D12/08/05



Transition with clamping channel


D14/03/05



Technical drawings - Floors

Transition with access covers


D16/03/05



Technical drawings - Walls


Altro wall system to window / door frame detail

W1




Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail

WS2




Technical drawings - Walls

Altro wall system to boxing inspection cover detail



W3

Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail




WF4

Shower tray detail for dementia-friendly environments available at www.altro.com


Technical drawings - Walls

Altro wall system to Altro resilient flooring overlap detail



WF4a

Altro wall system to Altro resin flooring detail




WF5

Technical drawings - Walls


Altro wall system to Altro resin flooring detail

WF6



Altro wall system with corner protector fixing detail


W8



Technical drawings - Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



Technical drawings - Walls

Concealed transition strip


WHTT2



Technical drawings - Walls

Concealed transition strip


WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.

Concealed transition strip

WHTT3



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs



“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”

Scott Myers,
Managing Director, Pinnacle

More information is available on [altro.com](https://www.altro.com)

Samples

If colour choice is critical, please request a sample of the material

☎ 01462 707 700

✉ enquiries@altro.com



Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

☎ 01462 707 700 ✉ enquiries@altro.com



Altro, Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Illustra adhesive-free, Altro Illustra, Altro Walkway, Altro Walkway SD, Altro XpressLay, Altro Stronghold adhesive-free, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Whiterock Splashbacks, Altro Walls ShowerKit, Altro Whiterock recessed shelf, Altro Whiterock hand wash station, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2023